


**1600x3200 MM**



**BEHOLD CHARM**  
IN YOUR SPACES  
**WITH CLASSY &**  
ELEGANT SHADES.





# APPLICATION

Areas

KITCHEN COUNTERTOP



DINING TABLE



LIVING ROOM



FURNITURE



STAIRCASE



OFFICE TABLE



TABLE TOP



DOOR \ WINDOW  
FRAME



FIRE PLACE



EXTERIOR AREA



# TECHNICAL

Features

LIGHTWEIGHT



WATERPROOF



RESISTANT TO SCRATCHES



RESISTANT TO HIGH  
TEMPERATURES



EASY TO CLEAN



RESISTANT TO BENDING



100% NATURAL



RECYCLABLE



HYGIENIC




RESISTANT TO UV RAYS







PRODUCT  
RANGE



**BLACK  
BODY**

THICKNESS  
**12 & 20 MM**


Our collections offer professional-grade performance while seamlessly blending the latest innovations with a premium design aesthetic that is crafted with authentic, high-quality materials.




BLACK FUSION



DYNAMIC GOLD




GOLD BLACK



ELEGANT BLACK




ENFIRE DORE




JUPITER BLACK\_BM




LUXOR BLUE\_BM



MARQUINA NERO




PORTE NOIR



SALINA BLANCO



THUNDER BLACK\_BM




TORQUE NERO



TITANIUM STEEL\_BM



VINTAGE ONYX\_BM



WAVE BLACK



PRODUCT  
RANGE








WHITE  
BODY

THICKNESS  
**12 & 20 MM**

Our collections offer professional-grade performance while seamlessly blending the latest innovations with a premium design aesthetic that is crafted with authentic, high-quality materials.



|                                                                                    |                                                                                     |                                                                                     |                                                                                      |                                                                                       |
|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
|  |  |  |  |  |
| ALEX CALACATTA                                                                     | ALFREDO AQUA                                                                        | APUANE STATUARIO                                                                    | ARABESCATO GOLD                                                                      | ALFA WHITE                                                                            |
|  |  |  |  |  |
| ANGELO WHITE                                                                       | AMAZONITE                                                                           | APOLLO WHITE                                                                        | ARDEN WHITE                                                                          | BIANCO SUPERIOR                                                                       |
|  |  |  |  |  |
| CALCATTÀ ULTRA                                                                     | CALCATTÀ BONAZO                                                                     | CLAUDIA ONYX                                                                        | CALCATTÀ BORGHINI                                                                    | CAPRICORN GOLD                                                                        |
|  |  |  |  |  |
| CARRARA FEEL                                                                       | CARRARA GOLD                                                                        | DELMARE                                                                             | EXOTIC NATURAL                                                                       | FLUDIC WHITE                                                                          |
|  |  |  |  |  |
| ICELAND                                                                            | IMAGINE GREEN                                                                       | LIMOD SILK                                                                          | MICA ROCK                                                                            | MIRACLE ONYX                                                                          |
|  |  |  |  |  |
| NOVELLA                                                                            | OSCAR WILDE                                                                         | PANDA WHITE_BM                                                                      | PEARL CREAM ONYX                                                                     | PATAGONIA BIANCO                                                                      |
|  |  |  |  |  |
| ROMAN CARARA                                                                       | STATUARIO BELISIMO                                                                  | STATUARIO ALTISSIMO                                                                 | STATUARIO DELICATO                                                                   | STATUARIO FAIRY_BM                                                                    |
|  |  |  |  |  |
| STATUARIO NATURAL                                                                  | STATUARIO PEARL                                                                     | SANTONA ASH                                                                         | TEMPAS BIANCO                                                                        | VENING STATUARIO                                                                      |
|  |                                                                                     |                                                                                     |                                                                                      |                                                                                       |
| WAVE SILK                                                                          |                                                                                     |                                                                                     |                                                                                      |                                                                                       |





PRODUCT  
RANGE



**GREY**  
BODY

THICKNESS  
**12 & 20 MM**




Our collections offer professional-grade performance while seamlessly blending the latest innovations with a premium design aesthetic that is crafted with authentic, high-quality materials.



ARMANI SANTONA



ATHENS GREY




CRESTOLA GREY




GLISTER GREY



BAGNARA




PIETRA GREY



SONATA GREY



VERSACE GOLD



HERICAN PEARL




HERICAN GREY




ROSTIC BIANCO



ROSTIC ASH




TORQUE ASH



TORQUE GREY



PRODUCT  
RANGE



IVORY  
BODY

THICKNESS  
12 & 20 MM



Our collections offer professional-grade performance while seamlessly blending the latest innovations with a premium design aesthetic that is crafted with authentic, high-quality materials.




ALFA BEIGE



BASALTO BEIGE



BOTTOCHINO VENATO



BOSCO BEIGE



TAJMAHAL BM



HERICAN TUSK







AVAILABLE IN

## GLOSSY & MATT FINISH

---

Glossy slabs are smooth-surfaced, flat pieces of material commonly used in construction and interior design. They are polished to create a reflective surface and are popular for use as countertops, flooring, and wall cladding due to their sleek appearance and durability.





RANDOM : 02

# BLACK FUSION

BLACK BODY

SIZE  
**1600x3200 MM**

FINISH  
**GLOSSY & MATT**

THICKNESS  
**12 & 20 MM**




TOUCH FOR  
**360 VIRTUAL & WALKTHROUGH**





DYNAMIC GOLD





RANDOM : 02

# DYNAMIC GOLD

BLACK BODY

SIZE  
**1600x3200 MM**



FINISH  
GLOSSY & MATT

THICKNESS  
12 & 20 MM



TOUCH FOR  
**360 VIRTUAL & WALKTHROUGH**





RANDOM : 02

# GOLD BLACK

BLACK BODY

SIZE  
**1600x3200 MM**

FINISH  
**GLOSSY & MATT**

THICKNESS  
**12 & 20 MM**



TOUCH FOR  
**360 VIRTUAL & WALKTHROUGH**





JUPITER BLACK\_BM





# ELEGANT BLACK

BLACK BODY

SIZE  
**1600x3200 MM**


FINISH  
**GLOSSY & MATT**

THICKNESS  
**12 & 20 MM**



TOUCH FOR  
**360 VIRTUAL & WALKTHROUGH**





# ENFIRE DORE

BLACK BODY

SIZE

**1600x3200 MM**

FINISH

**GLOSSY & MATT**

THICKNESS

**12 & 20 MM**



TOUCH FOR  
**360 VIRTUAL & WALKTHROUGH**





RANDOM : 02

# JUPITER BLACK\_BM

BLACK BODY

SIZE  
**1600x3200 MM**



FINISH  
GLOSSY & MATT

THICKNESS  
12 & 20 MM



TOUCH FOR  
**360 VIRTUAL & WALKTHROUGH**





RANDOM : 02

# LUXOR BLUE\_BM

BLACK BODY

SIZE  
**1600x3200 MM**


FINISH  
GLOSSY & MATT

THICKNESS  
12 & 20 MM



TOUCH FOR  
**360 VIRTUAL & WALKTHROUGH**





RANDOM : 02

# MARQUINA NERO

BLACK BODY

SIZE  
**1600x3200 MM**



FINISH  
GLOSSY / MATT

THICKNESS  
12 & 20 MM



TOUCH FOR  
**360 VIRTUAL & WALKTHROUGH**





RANDOM : 02

# PORTE NOIR

BLACK BODY

SIZE

**1600x3200 MM**

FINISH

**GLOSSY & MATT**

THICKNESS

**12 & 20 MM**



TOUCH FOR  
**360 VIRTUAL & WALKTHROUGH**





RANDOM : 02

# SALINA BLANCO

BLACK BODY

SIZE  
1600x3200 MM

|               |            |
|---------------|------------|
| FINISH        | THICKNESS  |
| GLOSSY & MATT | 12 & 20 MM |





TOUCH FOR  
360 VIRTUAL & WALKTHROUGH





THUNDER BLACK\_BM





RANDOM : 02

# THUNDER BLACK\_BM

BLACK BODY

SIZE  
**1600x3200 MM**


FINISH  
**GLOSSY & MATT**

THICKNESS  
**12 & 20 MM**



TOUCH FOR  
**360 VIRTUAL & WALKTHROUGH**





RANDOM : 02

# TITANIUM STEEL\_BM

BLACK BODY

SIZE  
**1600x3200 MM**

FINISH  
GLOSSY & MATT

THICKNESS  
12 & 20 MM





TOUCH FOR  
**360 VIRTUAL & WALKTHROUGH**





VINTAGE ONYX\_BM





RANDOM : 02

# VINTAGE ONYX\_BM

BLACK BODY

SIZE  
**1600x3200 MM**

FINISH  
GLOSSY & MATT

THICKNESS  
12 & 20 MM



TOUCH FOR  
**360 VIRTUAL & WALKTHROUGH**





RANDOM : 02

# ALEX CALACATTA

WHITE BODY

SIZE  
**1600x3200 MM**

FINISH  
GLOSSY & MATT

THICKNESS  
12 & 20 MM



TOUCH FOR  
**360 VIRTUAL & WALKTHROUGH**





RANDOM : 02

# APUANE STATUARIO

WHITE BODY

SIZE  
**1600x3200 MM**

FINISH  
GLOSSY & MATT

THICKNESS  
12 & 20 MM



TOUCH FOR  
**360 VIRTUAL & WALKTHROUGH**





RANDOM : 02

# ARABESCATO GOLD

WHITE BODY

SIZE  
**1600x3200 MM**

FINISH  
GLOSSY / MATT

THICKNESS  
12 & 20 MM



TOUCH FOR  
**360 VIRTUAL & WALKTHROUGH**





RANDOM : 01

# ALFA WHITE

WHITE BODY

SIZE

**1600x3200 MM**

FINISH

**GLOSSY & MATT**

THICKNESS

**12 & 20 MM**



TOUCH FOR  
**360 VIRTUAL & WALKTHROUGH**





ANGELO WHITE





RANDOM : 02

# ANGELO WHITE

WHITE BODY

SIZE  
**1600x3200 MM**


FINISH  
**GLOSSY & MATT**

THICKNESS  
**12 & 20 MM**



TOUCH FOR  
**360 VIRTUAL & WALKTHROUGH**





# AMAZONITE

WHITE BODY

SIZE  
**1600x3200 MM**

|               |            |
|---------------|------------|
| FINISH        | THICKNESS  |
| GLOSSY / MATT | 12 & 20 MM |



TOUCH FOR  
**360 VIRTUAL & WALKTHROUGH**





# APOLLO WHITE

WHITE BODY

SIZE  
**1600x3200 MM**

FINISH  
**GLOSSY / MATT**

THICKNESS  
**12 & 20 MM**



TOUCH FOR  
**360 VIRTUAL & WALKTHROUGH**





RANDOM : 02

# ARDEN WHITE

WHITE BODY

SIZE  
**1600x3200 MM**

FINISH  
**GLOSSY / MATT**

THICKNESS  
**12 & 20 MM**




TOUCH FOR  
**360 VIRTUAL & WALKTHROUGH**





BIANCO SUPERIOR





RANDOM : 02

# BIANCO SUPERIOR

WHITE BODY

SIZE  
**1600x3200 MM**

FINISH  
**GLOSSY & MATT**

THICKNESS  
**12 & 20 MM**



TOUCH FOR  
**360 VIRTUAL & WALKTHROUGH**





CALCATTÀ ULTRA





RANDOM : 02

# CALCATTÀ ULTRA

WHITE BODY

SIZE  
**1600x3200 MM**

FINISH  
GLOSSY / MATT

THICKNESS  
12 & 20 MM



TOUCH FOR  
**360 VIRTUAL & WALKTHROUGH**





RANDOM : 02

# CALACATTA BONAZO

WHITE BODY

SIZE  
**1600x3200 MM**

FINISH  
GLOSSY / MATT

THICKNESS  
12 & 20 MM



TOUCH FOR  
**360 VIRTUAL & WALKTHROUGH**





RANDOM : 02

# CLAUDIA ONYX

WHITE BODY

SIZE  
**1600x3200 MM**

FINISH  
**GLOSSY & MATT**

THICKNESS  
**12 & 20 MM**



TOUCH FOR  
**360 VIRTUAL & WALKTHROUGH**





# CALCATTÀ BORGHINI

WHITE BODY

SIZE  
**1600x3200 MM**

|               |            |
|---------------|------------|
| FINISH        | THICKNESS  |
| GLOSSY / MATT | 12 & 20 MM |



TOUCH FOR  
**360 VIRTUAL & WALKTHROUGH**





# CAPRICORN GOLD

WHITE BODY

SIZE  
**1600x3200 MM**


FINISH  
**GLOSSY / MATT**

THICKNESS  
**12 & 20 MM**



TOUCH FOR  
**360 VIRTUAL & WALKTHROUGH**





# CARRARA FEEL

WHITE BODY

SIZE  
**1600x3200 MM**

FINISH  
**GLOSSY / MATT**

THICKNESS  
**12 & 20 MM**



TOUCH FOR  
**360 VIRTUAL & WALKTHROUGH**





# CARRARA GOLD

WHITE BODY

SIZE  
**1600x3200 MM**


FINISH  
**GLOSSY / MATT**

THICKNESS  
**12 & 20 MM**



TOUCH FOR  
**360 VIRTUAL & WALKTHROUGH**





RANDOM : 02

# DELMARE

WHITE BODY

SIZE  
**1600x3200 MM**

FINISH  
**GLOSSY / MATT**

THICKNESS  
**12 & 20 MM**



TOUCH FOR  
**360 VIRTUAL & WALKTHROUGH**





RANDOM : 02

# EXOTIC NATURAL

WHITE BODY

SIZE  
**1600x3200 MM**

FINISH  
**GLOSSY & MATT**

THICKNESS  
**12 & 20 MM**



TOUCH FOR  
**360 VIRTUAL & WALKTHROUGH**





RANDOM : 02

# FLUDIC WHITE

WHITE BODY

SIZE  
**1600x3200 MM**

|               |            |
|---------------|------------|
| FINISH        | THICKNESS  |
| GLOSSY & MATT | 12 & 20 MM |




TOUCH FOR  
**360 VIRTUAL & WALKTHROUGH**









RANDOM : 02

# ICELAND

WHITE BODY

SIZE

**1600x3200 MM**

FINISH

**GLOSSY & MATT**

THICKNESS

**12 & 20 MM**



TOUCH FOR  
**360 VIRTUAL & WALKTHROUGH**





RANDOM : 02

# IMAGINE GREEN

WHITE BODY

SIZE  
**1600x3200 MM**

FINISH  
**GLOSSY & MATT**

THICKNESS  
**12 & 20 MM**




TOUCH FOR  
**360 VIRTUAL & WALKTHROUGH**









RANDOM : 02

# LIMOD SILK

WHITE BODY

SIZE  
**1600x3200 MM**

|               |            |
|---------------|------------|
| FINISH        | THICKNESS  |
| GLOSSY & MATT | 12 & 20 MM |



TOUCH FOR  
**360 VIRTUAL & WALKTHROUGH**





RANDOM : 02

# MICA ROCK

WHITE BODY

SIZE  
**1600x3200 MM**



FINISH  
**GLOSSY & MATT**

THICKNESS  
**12 & 20 MM**



TOUCH FOR  
**360 VIRTUAL & WALKTHROUGH**





RANDOM : 02

# MIRACLE ONYX

WHITE BODY

SIZE

**1600x3200 MM**

FINISH

**GLOSSY & MATT**



THICKNESS

**12 & 20 MM**



TOUCH FOR  
**360 VIRTUAL & WALKTHROUGH**





RANDOM : 02

# NOVELLA

WHITE BODY

SIZE  
**1600x3200 MM**

FINISH  
**GLOSSY & MATT**

THICKNESS  
**12 & 20 MM**




TOUCH FOR  
**360 VIRTUAL & WALKTHROUGH**





OSCAR WILDE





RANDOM : 02

# OSCAR WILDE

WHITE BODY

SIZE  
**1600x3200 MM**


FINISH  
**GLOSSY & MATT**

THICKNESS  
**12 & 20 MM**



TOUCH FOR  
**360 VIRTUAL & WALKTHROUGH**





RANDOM : 02

# PANDA WHITE\_BM

WHITE BODY

SIZE  
**1600x3200 MM**

|               |            |
|---------------|------------|
| FINISH        | THICKNESS  |
| GLOSSY & MATT | 12 & 20 MM |



TOUCH FOR  
**360 VIRTUAL & WALKTHROUGH**





# PEARL CREAM ONYX

WHITE BODY

SIZE  
**1600x3200 MM**

FINISH  
**GLOSSY & MATT**

THICKNESS  
**12 & 20 MM**



TOUCH FOR  
**360 VIRTUAL & WALKTHROUGH**

RANDOM : 02





RANDOM : 02

# PATAGONIA BIANCO

WHITE BODY

SIZE  
**1600x3200 MM**

FINISH  
**GLOSSY & MATT**

THICKNESS  
**12 & 20 MM**



TOUCH FOR  
**360 VIRTUAL & WALKTHROUGH**





RANDOM : 02

# ROMAN CARARA

WHITE BODY

SIZE  
**1600x3200 MM**



FINISH  
**GLOSSY / MATT**

THICKNESS  
**12 & 20 MM**



TOUCH FOR  
**360 VIRTUAL & WALKTHROUGH**





# STATUARIO BELISIMO

WHITE BODY

SIZE  
**1600x3200 MM**


FINISH  
**GLOSSY / MATT**

THICKNESS  
**12 & 20 MM**



TOUCH FOR  
**360 VIRTUAL & WALKTHROUGH**





RANDOM : 02

# STATUARIO ALTISSIMO

WHITE BODY

SIZE  
**1600x3200 MM**

|               |            |
|---------------|------------|
| FINISH        | THICKNESS  |
| GLOSSY & MATT | 12 & 20 MM |



TOUCH FOR  
**360 VIRTUAL & WALKTHROUGH**





STATUARIO DELICATO





RANDOM : 02

# STATUARIO DELICATO

WHITE BODY

SIZE  
**1600x3200 MM**

FINISH  
**GLOSSY & MATT**

THICKNESS  
**12 & 20 MM**



TOUCH FOR  
**360 VIRTUAL & WALKTHROUGH**





RANDOM : 02

# STATUARIO FAIRY\_BM

WHITE BODY

SIZE  
**1600x3200 MM**

|               |            |
|---------------|------------|
| FINISH        | THICKNESS  |
| GLOSSY & MATT | 12 & 20 MM |



TOUCH FOR  
**360 VIRTUAL & WALKTHROUGH**









RANDOM : 02

# STATUARIO NATURAL

WHITE BODY

SIZE  
**1600x3200 MM**

FINISH  
**GLOSSY & MATT**

THICKNESS  
**12 & 20 MM**




TOUCH FOR  
**360 VIRTUAL & WALKTHROUGH**





STATUARIO PEARL





RANDOM : 02

# STATUARIO PEARL

WHITE BODY

SIZE  
**1600x3200 MM**

|               |            |
|---------------|------------|
| FINISH        | THICKNESS  |
| GLOSSY & MATT | 12 & 20 MM |



TOUCH FOR  
**360 VIRTUAL & WALKTHROUGH**





RANDOM : 02

# SANTONA ASH

WHITE BODY



SIZE  
**1600x3200 MM**

|               |            |
|---------------|------------|
| FINISH        | THICKNESS  |
| GLOSSY & MATT | 12 & 20 MM |



TOUCH FOR  
**360 VIRTUAL & WALKTHROUGH**





RANDOM : 02

# TEMPAS BIANCO

WHITE BODY

SIZE  
**1600x3200 MM**


FINISH  
**GLOSSY & MATT**

THICKNESS  
**12 & 20 MM**



TOUCH FOR  
**360 VIRTUAL & WALKTHROUGH**





RANDOM : 02

# VENING STATUARIO

WHITE BODY

SIZE  
**1600x3200 MM**

FINISH  
**GLOSSY & MATT**

THICKNESS  
**12 & 20 MM**



TOUCH FOR  
**360 VIRTUAL & WALKTHROUGH**





RANDOM : 02

# ARMANI SANTONA

GREY BODY

SIZE

**1600x3200 MM**

FINISH

**GLOSSY & MATT**

THICKNESS

**12 & 20 MM**



TOUCH FOR  
**360 VIRTUAL & WALKTHROUGH**





# ATHENS GREY

GREY BODY

SIZE  
**1600x3200 MM**

FINISH  
**GLOSSY & MATT**

THICKNESS  
**12 & 20 MM**



TOUCH FOR  
**360 VIRTUAL & WALKTHROUGH**





RANDOM : 02

# CRESTOLA GREY

GREY BODY

SIZE  
**1600x3200 MM**

FINISH  
**GLOSSY & MATT**

THICKNESS  
**12 & 20 MM**



TOUCH FOR  
**360 VIRTUAL & WALKTHROUGH**





RANDOM : 02

# GLISTER GREY

GREY BODY

SIZE  
**1600x3200 MM**

FINISH  
**GLOSSY & MATT**

THICKNESS  
**12 & 20 MM**



TOUCH FOR  
**360 VIRTUAL & WALKTHROUGH**





RANDOM : 02

# BAGNARA

GREY BODY

SIZE  
**1600x3200 MM**

FINISH  
**GLOSSY & MATT**

THICKNESS  
**12 & 20 MM**



TOUCH FOR  
**360 VIRTUAL & WALKTHROUGH**





PIETRA GREY





RANDOM : 02

# PIETRA GREY

GREY BODY

SIZE

**1600x3200 MM**

FINISH

**GLOSSY & MATT**



THICKNESS

**12 & 20 MM**



TOUCH FOR  
**360 VIRTUAL & WALKTHROUGH**





# SONATA GREY

GREY BODY

SIZE

**1600x3200 MM**

FINISH

**GLOSSY & MATT**

THICKNESS

**12 & 20 MM**



TOUCH FOR  
**360 VIRTUAL & WALKTHROUGH**





VERSACE GOLD





RANDOM : 02

# VERSACE GOLD

GREY BODY

SIZE  
**1600x3200 MM**

FINISH  
**GLOSSY / MATT**

THICKNESS  
**12 & 20 MM**



TOUCH FOR  
**360 VIRTUAL & WALKTHROUGH**





ALFA BEIGE





RANDOM : 01

# ALFA BEIGE

IVORY BODY

SIZE  
**1600x3200 MM**

FINISH  
**GLOSSY & MATT**

THICKNESS  
**12 & 20 MM**



TOUCH FOR  
**360 VIRTUAL & WALKTHROUGH**





RANDOM : 02

# BASALTO BEIGE

IVORY BODY

SIZE  
**1600x3200 MM**

FINISH  
**GLOSSY & MATT**

THICKNESS  
**12 & 20 MM**



TOUCH FOR  
**360 VIRTUAL & WALKTHROUGH**





# BOTTOCHINO VENATO

IVORY BODY

SIZE  
**1600x3200 MM**

FINISH  
**GLOSSY & MATT**

THICKNESS  
**12 & 20 MM**



TOUCH FOR  
**360 VIRTUAL & WALKTHROUGH**





# BOSCO BEIGE

IVORY BODY

SIZE

**1600x3200 MM**

FINISH

**GLOSSY & MATT**

THICKNESS

**12 & 20 MM**



TOUCH FOR  
**360 VIRTUAL & WALKTHROUGH**





RANDOM : 02

# TAJMAHAL BM

IVORY BODY

SIZE  
**1600x3200 MM**

FINISH  
**GLOSSY & MATT**

THICKNESS  
**12 & 20 MM**



TOUCH FOR  
**360 VIRTUAL & WALKTHROUGH**





AVAILABLE IN

# MATT FINISH

---

Matt slabs are flat pieces of material commonly used in construction and interior design. Unlike glossy slabs, matt slabs have a non-reflective, textured surface that gives a more natural and subdued look.





RANDOM : 02

# TORQUE NERO

BLACK BODY

SIZE  
**1600x3200 MM**

|        |            |
|--------|------------|
| FINISH | THICKNESS  |
| MATT   | 12 & 20 MM |



TOUCH FOR  
**360 VIRTUAL & WALKTHROUGH**





RANDOM : 02

# WAVE BLACK

BLACK BODY

SIZE  
1600x3200 MM

|        |            |
|--------|------------|
| FINISH | THICKNESS  |
| MATT   | 12 & 20 MM |



TOUCH FOR  
360 VIRTUAL & WALKTHROUGH





ALFREDO AQUA





RANDOM : 02

# ALFREDO AQUA

WHITE BODY

SIZE  
**1600x3200 MM**


FINISH  
**MATT**

THICKNESS  
**12 & 20 MM**



TOUCH FOR  
**360 VIRTUAL & WALKTHROUGH**





RANDOM : 02

# WAVE SILK

WHITE BODY

SIZE  
**1600x3200 MM**

FINISH  
**MATT**

THICKNESS  
**12 & 20 MM**



TOUCH FOR  
**360 VIRTUAL & WALKTHROUGH**









RANDOM : 02

# HERICAN PEARL

GREY BODY

SIZE  
**1600x3200 MM**

|        |            |
|--------|------------|
| FINISH | THICKNESS  |
| MATT   | 12 & 20 MM |



TOUCH FOR  
**360 VIRTUAL & WALKTHROUGH**





RANDOM : 02

# HERICAN GREY

GREY BODY

SIZE  
**1600x3200 MM**

|        |            |
|--------|------------|
| FINISH | THICKNESS  |
| MATT   | 12 & 20 MM |



TOUCH FOR  
**360 VIRTUAL & WALKTHROUGH**





RANDOM : 02

# ROSTIC BIANCO

GREY BODY

SIZE  
**1600x3200 MM**

|        |            |
|--------|------------|
| FINISH | THICKNESS  |
| MATT   | 12 & 20 MM |



TOUCH FOR  
**360 VIRTUAL & WALKTHROUGH**





# ROSTIC ASH

GREY BODY

SIZE

**1600x3200 MM**

FINISH

**MATT**

THICKNESS

**12 & 20 MM**



TOUCH FOR  
**360 VIRTUAL & WALKTHROUGH**

RANDOM : 02





RANDOM : 02

# TORQUE ASH

GREY BODY

SIZE  
**1600x3200 MM**

|        |            |
|--------|------------|
| FINISH | THICKNESS  |
| MATT   | 12 & 20 MM |



TOUCH FOR  
**360 VIRTUAL & WALKTHROUGH**





RANDOM : 02

# TORQUE GREY

GREY BODY

SIZE  
**1600x3200 MM**

|        |            |
|--------|------------|
| FINISH | THICKNESS  |
| MATT   | 12 & 20 MM |



TOUCH FOR  
**360 VIRTUAL & WALKTHROUGH**






RANDOM : 02

# HERICAN TUSK

IVORY BODY

SIZE  
**1600x3200 MM**

|        |            |
|--------|------------|
| FINISH | THICKNESS  |
| MATT   | 12 & 20 MM |



TOUCH FOR  
**360 VIRTUAL & WALKTHROUGH**



# Container Packing Details

---



MAX. GROSS 32 500 KG  
71 650 LBS

MAX. GROSS 32 500 KG  
71 650 LBS  
TARE 2 850 KG  
6 280 LBS

MAX. GROSS 32 500 KG  
71 650 LBS  
TARE 2 850 KG  
6 280 LBS

MAX. GROSS 32 500 KG  
71 650 LBS  
TARE 2 850 KG  
6 280 LBS

MAX. GROSS 32 500 KG  
71 650 LBS  
TARE 2 850 KG  
6 280 LBS



40FT. CONTAINER

IRON A-FRAME PALLETS | 1600x3200 MM



| PCS/BOX | THICKNESS                        | PALLET DETAILS | CNT SIZE | PALLET SIZE IN CM | BOX PER PALLET | TOTAL PALLET IN CNT              | TOTAL BOX IN CNT | SQ.MTR PER BOX | WEIGHT PER BOX/KGS | TOTAL SQ.MTR IN CNT | TOTAL NET WEIGHT IN CNT | TOTAL GROSS WEIGHT IN CNT |
|---------|----------------------------------|----------------|----------|-------------------|----------------|----------------------------------|------------------|----------------|--------------------|---------------------|-------------------------|---------------------------|
| 1       | 12 MM                            | HORIZONTAL     | 40 FCL   | 75*325*198        | 20             | 9                                | 180              | 5.12           | 146                | 921.60              | 26280.00                | 27280.00                  |
| 1       | 20 MM                            | HORIZONTAL     | 40 FCL   | 75*325*198        | 13             | 9                                | 117              | 5.12           | 230                | 599.04              | 26910.00                | 27910.00                  |
| 12 MM   | COVERAGE AREA PER SLAB IN SQ.FT  |                | 55.11    |                   | 20 MM          | COVERAGE AREA PER SLAB IN SQ.FT  |                  | 55.11          |                    |                     |                         |                           |
|         | COVERAGE AREA PER SLAB IN SQ.MTR |                | 5.12     |                   |                | COVERAGE AREA PER SLAB IN SQ.MTR |                  | 5.12           |                    |                     |                         |                           |
|         | WEIGHT PER SLAB IN KGS           |                | 146      |                   |                | WEIGHT PER SLAB IN KGS           |                  | 230            |                    |                     |                         |                           |



## Cleaning & Maintenance

Our products are non porous (due to their high quality raw materials, stringent production parameters and state of the art technology), hence any dust or deposited waste cannot penetrate the surface.

For most cases only a damp cloth is sufficient for cleaning.

Regular cleaning highlights the aesthetic features of the surface and gives it exceptional shine.

For highly aggressive cleaning caused by some common food and substances follow the table below.

| TYPE OF STAIN | CHEMICAL PRODUCT   | EXAMPLE                                    |
|---------------|--------------------|--------------------------------------------|
| Grease        | Alkaline - Solvent | Detergent                                  |
| Oil           | Solvent            | Ammonia, Backing Soda                      |
| Ink           | Oxidant - Solvent  | Alcohol, Liquid Bleach, Nail Paint Remover |
| Rust          | Acid               | Hydrochloric Acid, Vinegar, Red Harpic     |
| Lime          | Acid               | Descaling Reagent, Hydro Chloric Acid      |
| Cement        | Acid               | Hydro Chloric Acid                         |
| Wine          | Alkaline           | Ammonia, Liquid Bleach                     |
| Coffee        | Alkaline - Solvent | Ammonia, Liquid Bleach                     |
| Rubber        | Solvent            | Alcohol, Thinner                           |
| Plaster       | Acid               | Hydro Chloric Acid                         |
| Candle Wax    | Solvent            | Alcohol, Thinner                           |
| Iodine        | Oxidant            | Liquid Bleach                              |
| Blood         | Oxidant            | Liquid Bleach                              |
| Ice Cream     | Alkaline           | Liquid Bleach                              |

Note: It is recommended that any kind of stain needs to get clean immediately / as soon as possible.

## Technical Specification

| CHARACTERISTIC                                                 | STANDARD AS PER ISO13006:2018/ EN14411 Gr.Bla | MEAN VALUE                                                                           | TEST METHOD     |
|----------------------------------------------------------------|-----------------------------------------------|--------------------------------------------------------------------------------------|-----------------|
| Regulatory Properties                                          |                                               |                                                                                      |                 |
| Deviation in Length and Width                                  | ± 0.30 % (±1.00mm)                            | ± 0.10 %                                                                             | ISO 10545-2     |
| Deviation in Thickness                                         | ± 5.00 % (±0.50mm)                            | ± 5.00 %                                                                             | ISO 10545-2     |
| Straightness in Side                                           | ± 0.30 % (±0.80mm)                            | ± 0.10 %                                                                             | ISO 10545-2     |
| Rectangularity                                                 | ± 0.30 % (±1.50mm)                            | ± 0.10%                                                                              | ISO 10545-2     |
| Surface Flatness Central Curvature                             | ± 0.40 % (±1.80mm)                            | ± 0.50 %                                                                             | ISO 10545-2     |
| Surface Flatness Edge Curvature                                | ± 0.40 % (±1.80mm)                            | ± 0.50 %                                                                             | ISO 10545-2     |
| Surface Flatness Warpage                                       | ± 0.40 % (±1.80mm)                            | ± 0.50 %                                                                             | ISO 10545-2     |
| Surface Quality                                                | > 95% de ects free                            | > 95% de ects free                                                                   | ISO 10545-2     |
| Small Color Difference(for Plain Colour)                       | ΔE < 1.00                                     | ΔE < 0.30                                                                            | ISO 10545-16    |
| Glossiness ( Polished)                                         | as per mfg.                                   | Gloss Value> 90                                                                      | Gloss Meter 60° |
| Glossiness (Matt)                                              | as per mfg.                                   | 3 <Gloss Value<7                                                                     | Gloss Meter 60° |
| Glossiness (Satin/Posh)                                        | as per mfg.                                   | 7<Gloss Value<18                                                                     | Gloss Meter 60° |
| Structural Properties                                          |                                               |                                                                                      |                 |
| Water absorption                                               | ≤ 0.50 %                                      | ≤ 0.060 %                                                                            | ISO 10545-3     |
| Bulk density                                                   | as per mfg.                                   | Min. 2.28 g/cc                                                                       | ISO 10545-3     |
| Massive Mechanical Properties                                  |                                               |                                                                                      |                 |
| Modulus of rupture                                             | Min. 35.0 N/mm²                               | Min. 42.0 N/mm²                                                                      | ISO 10545-4     |
| Breaking strength thickness <7.5                               | Min. 700.0 N                                  | Min. 1000.0 N                                                                        | ISO 10545-4     |
| Breaking strength thickness ≥7.5                               | Min. 1300.0 N                                 | Min. 1800.0 N                                                                        | ISO 10545-4     |
| Breaking strength thickness ≥7.5mm)                            | Min. 1300.0 N                                 | Min. 7500.0 N                                                                        | ISO 10545-4     |
| Surface Mechanical Properties                                  |                                               |                                                                                      |                 |
| MOH'S hardness #                                               | as per mfg.                                   | Glossy Min. 4*/ Posh Min. 6                                                          | BS EN 15771     |
| Surface abrasion resistance #                                  | as per mfg.                                   | Glossy Min. 2/ Posh Min. 3                                                           | ISO 10545-7     |
| Deep abrasion resistance #                                     | Max. 175mřm                                   | Max. 132mřm                                                                          | ISO 10545-6     |
| Thermal Hydrometric Properties                                 |                                               |                                                                                      |                 |
| Moisture expansion                                             | Max. 0.06%(0.6mm/m)                           | Max. 0.02mm/m                                                                        | ISO 10545-10    |
| Thermal expansion(COE) at 100°C                                | as per mfg.                                   | Max. 6.0 x 10-6                                                                      | ISO 10545-8     |
| Thermal shock resistance                                       | Min. 10 Cycle                                 | Min. '0 Cycle                                                                        | ISO 10545-9     |
| Impact resistance(COR) #                                       | Min. 0.55                                     | Min. 0.55                                                                            | ISO 10545-5     |
| Frost resistance                                               | as per mfg.                                   | Frost Proof                                                                          | ISO 10545-12    |
| Chemical Properties                                            |                                               |                                                                                      |                 |
| Resistance to staining glazed                                  | Min. Class 3                                  | Min. Class 4                                                                         | ISO 10545-14    |
| Resistance to household chemicals & swimming pool salts glazed | Min. Class GB                                 | Min. Class GA                                                                        | ISO 10545-13    |
| Resistance to low concentrate acid and alkalis glazed          | as per mfg.                                   | Min. Class GLB**                                                                     | ISO 10545-13    |
| Resistance to high concentrate acid and alkalis glazed         | as per mfg.                                   | Min. Class GHB**                                                                     | ISO 10545-13    |
| Safety Properties                                              |                                               |                                                                                      |                 |
| Skid resistance(DCOF-DRY) ##                                   | as per mfg.                                   | Glossy P0(< <sup>12</sup> ) / Posh ≥P <sup>1</sup> ( <sup>12</sup> - <sup>24</sup> ) | BS 7976-2       |
| Slip resistance(DCOF)( R value) ##                             | as per mfg.                                   | R9 to R <sup>13</sup>                                                                | DIN 51130       |
| Fire resistance                                                | as per mfg.                                   | Fire Proof                                                                           | N.A.            |

\* With Nano polishe  
\*\* Except Hydrofluoric Acid & it's compound  
# Tiles Intended for use on floor  
## As per customer requirement

## Packing Details

| PRODUCT       | BODY       | SIZE        | THICKNESS | TILES / BOX | COVERAGE AREA / BOX | WEIGHT (Kg)      |
|---------------|------------|-------------|-----------|-------------|---------------------|------------------|
| Glossy & Matt | Color Body | 1600x3200mm | 12mm      | 1pc         | 55.11 Sq. ft.       | 146 Kgs. Approx. |
| Glossy & Matt | Color Body | 1600x3200mm | 20mm      | 1pc         | 55.11 Sq. ft.       | 230 Kgs. Approx. |