# Colourific

600x 1200mm

GLOSSY/MATT





{ Available Finish }

{ SIZE }

MATT | GLOSSY

600x1200MM

The Colourific Collection offers a versatile range of tiles suitable for various design preferences and spaces.

Achieve a harmonious balance in your design with the seamless integration.

Explore the diverse color palette and patterns available, allowing you to create unique and personalized spaces.








Taking cues from the asymmetrical forms of nature the collection brings refined and rustic splendor in one.







#### **FEATURES**



0







CHI

CAL NCE

IN ANT EASY TO CLEAN ECO FRIENDLY

, |-

\_\_\_\_\_\_



SLIF RESIST



**Glossy/Matt** Finish

**9mm** Thickness







**PULPINO GREY** 















**PULPINO CLOUD** 









# **PULPINO SILVER**


Random Face **03** 



600x 1200mm Glossy/Matt Finish

**9mm** Thickness
















**PULPINO BROWN** 















**PULPINO NUT** 









**Glossy/Matt** Finish **9mm** Thickness






**PULPINO SEPIA** 










**PULPINO CREMA** 










**PULPINO SAFFRON** 










**PULPINO MINT** 










**PULPINO AQUA** 














**PULPINO BLUE** 





### **TECHNICAL SPECIFICATION**

TEST DISCRIPTION	STANDARD AS PER IOS-13006/EN177 GROUP BIB	MEAN VALUE	
Deviation in length & width	±0.6 %	±0.3 %	
Deviation in thickness	±5.0 %	±4.0 %	
Straightness in side	±0.5 %	±0.1 %	
Rectangularity	±0.5 %	±0.1 %	
Surface flatness	±0.5 %	±0.2 %	
Color difference	Unaltered	No change	
Glossiness	As per mfg.	10-40 (As per surface)	
Water absorption	≤ 0.05%	≤ 0.05%	
Modulus of rupture	Min. 35 N/mm²	Min. 35 N/mm²	
Impact resistance	As per mfg.	Min. 0.55 Porcelain	
Surface abrasion resistance	As per mfg.	PEI II-V	
MOH's hardness	As per mfg.	Min. 7	
Frost resistance	No damage	No damage	
Thermal shock resistance	No damage	No damage	
Moisture expansion	Nil	Nil	
Chemical resistance	No damage	No damage	
Stain resistance	Resistant	Resistant	
Crazing resistance	As per mfg.	2 Cycle	

## PACKING DETAIL

Size	Thickness (approx.)	Pieces / Box	Area / Box	Wt./Box (approx.)
600x1200mm	9 mm	2 pcs.	1.44 sq. mtr.	28 kgs.